


EU Declaration of Conformity

Product:		Guard Locking Safety Interlock Switches
Name and address of the manufacturer:		Name and address of the authorised representative:
Rockwell Automation, Inc.		Rockwell Automation B.V.
1201 South 2nd Street		Rivium Promenade 160
Milwaukee, WI 53204		2909 LM Capelle aan den IJssel
U.S.A.		The Netherlands
This declaration of conformity is issued under the sole responsibility of the manufacturer.		
Object of the declaration:		Allen-Bradley 440G-L Series
		<i>(reference the attached list of catalogue numbers)</i>
The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:		
2006/42/EC	Machinery Directive	(MD)
2011/65/EU	RoHS Directive	(RoHS)
References to the relevant harmonised standards used or references to the other technical specifications in relation to which conformity is declared:		
EN ISO 14119:2013	Safety of machinery – Interlocking devices associated with guards – Principles for design and selection	
EN 50581:2012	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances	
<u>Additional information:</u>		
Person authorised to compile the technical file (MD):	Authorised representative (see details above).	
Product Safety Function (MD):	Type 2 interlocking devices with guard locking and coded actuators per EN ISO 14119.	
Signed for and on behalf of the above named manufacturer		
Place and date of issue:	Milwaukee, WI USA	02-May-2017
Name, function:	Daniel L. Nachtigall, Technical Leader – Product Compliance Engineering	
Signature:		

<i>Catalogue number ¹</i>	<i>Series ²</i>	<i>Description</i>
440G-L07***		2 N.C safety contacts + 1 N.O. auxiliary contact and 2 N.C. + 1 N.O. solenoid contacts
440G-LJ51093C		2 N.C safety contacts + 1 N.O. auxiliary contact and 2 N.C. + 1 N.O. solenoid contacts
440G-L2NNSDH-3N		2 N.C safety contacts + 1 N.O. auxiliary contact and 2 N.C. + 1 N.O. solenoid contacts
440G-L2NNSDH-38		2 N.C safety contacts + 1 N.O. auxiliary contact and 2 N.C. + 1 N.O. solenoid contacts

- 1) * Denotes a number or letter defining specific characteristics related to solenoid voltage and/or connection types.
2) If no series number is given, then all series are covered.