


EU Declaration of Conformity

Product:	Code Reader
Name and address of the manufacturer: Rockwell Automation Inc. 1201 South 2nd Street Milwaukee, WI 53204 U.S.A.	Name and address of the authorised representative: Rockwell Automation NV Pegasus Park De Kleetlaan 12A 1831 Diegem Belgium
<i>This declaration of conformity is issued under the sole responsibility of the manufacturer.</i>	
Object of the declaration:	Allen-Bradley 48CR Series (reference the attached list of catalogue numbers)
<i>The object of the declaration described above is in conformity with the relevant Union harmonisation legislation:</i>	
2014/35/EU	Low Voltage Directive (LVD)
2014/30/EU	EMC Directive (EMC)
2011/65/EU	RoHS Directive (RoHS)
<i>References to the relevant harmonised standards used or references to the other technical specifications in relation to which conformity is declared:</i>	
EN 55032:2012	Electromagnetic compatibility of multimedia equipment — Emission requirements
EN 55024:2010	Information technology equipment — Immunity characteristics — Limits and methods of measurement
EN 60950-1:2006 + A11:2009 + A1:2010 + A12:2011 + A2:2013	Information technology equipment — Safety
EN 62471:2008	Photobiological safety of lamps and lamp systems
EN 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances
<i>Signed for and on behalf of the above named manufacturer:</i>	
Place and date of issue:	Milwaukee, WI USA 09-Sep-2021
Name, function:	Daniel L. Nachtigall, Technical Leader – Product Compliance Engineering
Signature:	

<i>Catalogue number</i>	<i>Series ¹</i>	<i>Description</i>
48CR-CB52R102-E8		<i>Code Reader, 1D/2D Algorithms, WVGA Imager, 5.2 mm lens, Fixed Focus, 102 mm Focus Distance, EtherNet/IP, 8-pin Power and IO</i>
48CR-CB80R133-E8		<i>Code Reader, 1D/2D Algorithms, WVGA Imager, 8.0 mm lens, Fixed Focus, 133 mm Focus Distance, EtherNet/IP, 8-pin Power and IO</i>
48CR-CB80R190-E8		<i>Code Reader, 1D/2D Algorithms, WVGA Imager, 8.0 mm lens, Fixed Focus, 190 mm Focus Distance, EtherNet/IP, 8-pin Power and IO</i>
48CR-CB16R400-E8		<i>Code Reader, 1D/2D Algorithms, WVGA Imager, 16 mm lens, Fixed Focus, 400 mm Focus Distance, EtherNet/IP, 8-pin Power and IO</i>
48CR-CC16RAF-E8		<i>Code Reader, 1D/2D Algorithms, SXGA Imager, 16 mm lens, Auto Focus, EtherNet/IP, 8-pin Power and IO</i>
48CR-CC50RAF-E8		<i>Code Reader, 1D/2D Algorithms, SXGA Imager, 5.0 mm lens, Auto Focus, EtherNet/IP, 8-pin Power and IO</i>
48CR-CC77RAF-E8		<i>Code Reader, 1D/2D Algorithms, SXGA Imager, 7.7 mm lens, Auto Focus, EtherNet/IP, 8-pin Power and IO</i>

1) Products of the series level indicated, as well as succeeding series levels, are certified. If no series letter or number is given, then all series are certified.